

# Unity

## Create/Open Project

Save new projects on the [Innovationlab Filer](#) or on the [ZHdK GIT Server](#) in your project folder.

## Import a Character

1. Drag and Drop FBX into project window
2. Select Character in project window and go to Inspector > Rig > Animation Type set to Humanoid

[Import Advanced Sceleton Charater from Maya into Unity](#)

## Install OptiTrack Unity Plugin

A full documentation about using the OptiTrack Unity Plugin can be found the OptiTrack page: [https://v20.wiki.optitrack.com/index.php?title=OptiTrack\\_Unity\\_Plugin](https://v20.wiki.optitrack.com/index.php?title=OptiTrack_Unity_Plugin)

1. Download Plugin from Optitrack Website <http://optitrack.com/downloads/plugins.html> or from the [Innovationlab Filer](#): Path 01\_assets/06\_plugins/Optitrack/
2. Install the Plugin in your unity project by doubleclicking the on the Plugin file or go to Asset > Import Pacakge > Import Custom Package... and select the Plugin package.



## Add OptiTrack Client to Scene

1. Open Asset Folder OptiTrack/Prefabs/
2. Drag & Drop *Client - OptiTrack* to the scene Hierarchy
3. Select *Client - OptiTrack* in Hierarchy and open Inspector window
4. Check oarameters of the *Optitrack Streaming Client (Script)* Component



### Parameters (Motive & Unity on same PC)

Connection Type	Multicast
Local Address	127.0.0.1
Server Address	127.0.0.1
Server Command Port	1510
Server Data Port	1510

## Bone Naming Conv.      Motive

Stream the data to Local Interface Loopback Address if Unity is running on same PC as Motive.



### Parameters (Motive on Mocap PC & Unity on Beamer PC)

Connection Type	Multicast
Local Address	10.128.96.102
Server Address	10.128.96.103
Server Command Port	1510
Server Data Port	1510
Bone Naming Conv.	Motive

Stream capture data in motive to Local Address if Unity is not running on the same PC as Motive.



Check [Network LAN IPs](#) for other configurations.

## Add Motion Caputre Stream for a Rigid Body

To add motion capture live data to a rigid body (e.g. camera), you need to add the *Optitrack Rigid Body* Script as a Component to your object:

1. Open Asset Folder *OptiTrack/Scripts/*
2. Drag & Drop *OptitrackRigidBody* to an object in Scene Hierarchy to connection object with motion capture data (e.g. Main Camera)
3. Open Inspector of Object and show *Optitrack Rigid Body (Script)* Component
4. Click on circle symbol next to Streaming Client and select *Client - OptiTrack* client of the scene
5. Set *Rigid Body Id* to StreamingID of corresponding Motive Rigid Body
6. Run Play Mode



## Add Motion Caputre Stream for a Character

Make sure you have a rigged character in unity (see [Import a Character from Maya](#) or Import a Character from Mixamo)

To add motion capture live data to a Character/Skeleton, you need to add the *OptitrackSkeletonAnimator* Script as a Component to your character:

1. Drag & Drop your character into Scene Hierarchy
2. Open Asset Folder *OptiTrack/Scripts/*
3. Drag & Drop *OptitrackSkeletonAnimator* to an character in Scene Hierarchy to connection skeleton with motion capture data
4. Open Inspector of character and show *Optitrack Skeleton Animator (Script) Component*
5. Click on circle symbol next to Streaming Client and select *Client - OptiTrack* client of the scene
6. Click on circle symbol next to Destination Avatar and select Avatar of the character
7. Set *Skeleton Asset Name* to Asset Name of corresponding Motive Skeleton
8. Run Play Mode



## Enable Background running

Run in Background in File > Build Settings > Player Settings activate

## Useful Shortcuts

Q	Pan
W	Move
E	Rotate
R	Scale
F	Focus on active selection
Ctrl+Alt+F	Move to view

## Animation

1. Open Window > Animation
2. Add Property to Animate
3. Press record
4. Change values to animate > a keyframe will be added
5. Scrub in Timeline and change values again

## Animator

Use to create states. Each state has an animation. So there you can combine animations and connect it to conditions. Window > Animator

Different Layers can be used to make different animations at the same time. The lower the layer the

higher priority it has.

From:

<https://wiki.zhdk.ch/IASpace/> - **immersive art space**

Permanent link:

<https://wiki.zhdk.ch/IASpace/doku.php?id=unity&rev=1526483132>

Last update: **2018/05/16 17:05**

